## **CLAIMS**

What is claimed is:

1	1.	A method of operating a first security module, the method comprising the acts
2	of:	
3	detecti	ing a second security module;
4	determ	nining whether a key associated with the second security module is available to
5		the first security module; and
6	obtain	ing the key associated with the second security module if the key associated
7		with the second security module is not available to the first security module.
1	2.	The method set forth in claim 1, comprising the act of configuring the first
2	security modu	ale to be a trusted platform module ("TPM").
1	3.	The method set forth in claim 1, comprising the act of requesting the key from
2	the second sec	curity module.
1	4.	The method set forth in claim 1, comprising the act of sending a public key
2	from the first	security module to the second security module if the key associated with the
3	second securit	ty module is not available to the first security module.
1	5.	The method set forth in claim 1, comprising the act of sending a public key
2	along with val	lidation information from the first security module to the second security
3	module if the	key associated with the second security module is not available to the first
4	security modu	ıle.

1	6.	The method set forth in claim 1, comprising the act of storing the key in a	
2	memory assoc	ciated with the first security module.	
1	7.	The method set forth in claim 1, comprising the act of defining the key to be a	
2	private key.		
1	8.	A security module, comprising:	
2		a detector that is adapted to detect another security module and determine	
3	wheth	er one of a plurality of keys is associated with the other security module; and	
4		a device that obtains at least one key associated with the other security module	
5	if the	one of the plurality of keys is not associated with the other security module.	
1	9.	The security module set forth in claim 8, wherein the security module	
2	comprises a tr	rusted platform module ("TPM").	
1	10.	The security module set forth in claim 8, wherein the security module is	
2	adapted to req	quest the at least one key from the other security module.	
1	11.	The security module set forth in claim 8, wherein the security module is	
2	adapted to ser	nd a public key to the other security module if the at least one key is not	
3	available to th	ne security module.	
1	12.	The security module set forth in claim 8, wherein the security module is	
2	adapted to ser	nd a public key along with validation information to the other security module if	
3	the at least one key is not available to the security module.		

1	13.	The security module set forth in claim 8, wherein the at least one key is a
2	private key.	
1	14.	A security module, comprising:
2	means	for detecting another security module;
3	means	for determining whether a key associated with the other security module is
4		available to the security module; and
5	means	for obtaining the key associated with the other security module if the key
6		associated with the other security module is not available to the security
7		module.
1	15.	The security module set forth in claim 14, wherein the security module
2	comprises a tr	rusted platform module ("TPM").
1	16.	The security module set forth in claim 14, wherein the security module is
2	adapted to req	uest the key from the other security module.
1	17.	The security module set forth in claim 14, wherein the security module is
2	adapted to sen	nd a public key to the other security module if the key associated with the other
3	security modu	le is not available to the security module.
1	18.	The security module set forth in claim 14, wherein the security module is
2	adapted to sen	nd a public key along with validation information to the other security module if
3	the key accord	ated with the other security module is not available to the security module

1	19.	The security module set forth in claim 14, wherein the security module is	
2	2 adapted to store the key in a memory associated with the security module.		
1 2	20. key.	The security module set forth in claim 14, wherein the key comprises a private	
1	21.	A computer system comprising:	
2	a proc	essor for executing program instructions;	
3	a stora	ge device for storing program instructions to be delivered to the processor;	
4	at least one peripheral device that is controlled by the processor; and		
5	a first	security module associated with the at least one peripheral device, the first	
6		security module comprising:	
7		a detector that is adapted to detect a second security module and determine	
8		whether one of a plurality of keys is associated with the second security	
9		module; and	
10		a device that obtains at least one key associated with the second security	
11		module if the one of the plurality of keys is not associated with the	
12		second security module.	
1	22.	The computer system set forth in claim 21, wherein the first security module	
2	comprises a tr	usted platform module ("TPM").	
1	23.	The computer system set forth in claim 21, wherein the first security module is	
2	adapted to rea	uest the at least one key from the second security module.	

1	24. The computer system set forth in claim 21, wherein the first security module is		
2	adapted to send a public key to the second security module if the at least one key is not		
3	available to the first security module.		
1	25. The computer system set forth in claim 21, wherein the first security module is		
2	adapted to send a public key along with validation information to the second security module		
3	if the at least one key is not available to the first security module.		
1	26. The computer system set forth in claim 21, wherein the at least one key is a		
2	private key.		
1	27. A method of unsealing information from a plurality of security modules, the		
2	method comprising the acts of:		
3	detaching an identifier from sealed information for one of the plurality of security		
4	modules;		
5	decrypting the sealed information with a key that is associated with another of the		
6	plurality of security modules;		
7	calculating a hash of the decrypted sealed information; and		
8	comparing the calculated hash to the identifier to determine if the key was used to		
9	encrypt the sealed information.		
1	28. The method set forth in claim 27, wherein the plurality of security modules		
2	comprise trusted platform modules ("TPMs")		

1	29. The method set forth in claim 27, comprising the act of returning a decrypt ke		
2	found message if the key is the key used to encrypt the sealed information.		
1			
1	30. The method set forth in claim 27, comprising the act of returning a decrypt ke		
2	not found message if the key is not the key used to encrypt the sealed information.		
1	31. A computer network, comprising:		
2	a plurality of computer systems;		
3	a network infrastructure that connects the plurality of computer systems together;		
4	at least one of the plurality of computer systems comprising:		
5	a first security module being configured to:		
6	detect a second security module;		
7	determine whether a key associated with the second security module is		
8	available to the first security module; and		
9	obtain the key associated with the second security module if the key		
10	associated with the second security module is not available to		
11	the first security module.		
1	32. The computer network, as set forth in claim 31, wherein the first security		
2	modules comprises a trusted platform module ("TPM")		